

1. Identification of the product covered by this certificate:

All Panel Rey, S.A. brand gypsum board products: Regular Drywall®; Fire Rey Type X®; Fire Rey Type C®; Light Wall and Ceiling®; Guard Rey®; Guard Rey Type X®; Exterior Rey®; Exterior Rey Type X®; Soffitboard Type X®; Soffitboard Type C®

2. Citation to each CPSC product safety regulation to which this product is being certified:

Drywall Safety Act of 2012 - Pub.1. 112-266, 126 Stat. 2437 (2013)
10 ppm sulfur content limit in ASTM C1396-14a, Section 4.

3. Identification of the U.S. importer or domestic manufacturer certifying compliance of the product:

Abastecedora Máximo, S.A. de C.V.
Serafin Pena Sur 938, Centro,
Monterrey, Nuevo Leon, México C.P. 64000
T: +52 81 8345 0055

4. Contact information for the individual maintaining records of test results:

Oscar Mendez, Quality Assurance Manager
Panel Rey S. A.
Carretera Monterrey - Monclova Km. 11.5
El Carmen, Nuevo Leon, México CP 66550
T: 01 800 860 9022
omendez@gpromax.com

5. Date and place where this product was manufactured:

Each individual gypsum board is stamped with a unique manufacturing and date code identifying the date and place of manufacture in the following format: DD/MM/YY HH:MM
El Carmen Nuevo Leon = MTY
San Luis Potosí, San Luis Potosí = SLP
Ciudad Juárez Chihuahua = CDJ

6. Date and place where this product was tested for compliance with the regulation(s) cited above:

October 1, 2018
Simi Valley, California

7. Identification of third party laboratory on whose testing this certificate depends:

ALS Environmental
2655 Park Center Dr., Suite A
Simi Valley, CA 93065
T: +1 805 526 7161
www.alsglobal.com